

| MARDI 4 NOVEMBRE 2025 |                |               |                                          |
|-----------------------|----------------|---------------|------------------------------------------|
| AGARICUS              | CAMPESTRIS     |               | L.                                       |
| AGARICUS              | XANTHODERMUS   |               | Genevier                                 |
| AGARICUS              | DEVONIENSIS    |               | Orton                                    |
| AGROCYBE              | ARENICOLA      |               | (Berkeley) Singer                        |
| AMANITA               | JUNQUILLEA     |               | Quélet                                   |
| AMANITA               | MUSCARIA       |               | (L.) Lamarck                             |
| ARMILLARIA            | MELLEA         |               | (Vahl) Kummer                            |
| CALOCERA              | VISCOSA        |               | (Pers.) Fr.                              |
| CANDOLLEOMYCES        | CANDOLLEANUS   |               | (Fr.) Wächter et A.Melzer                |
| CHLOROPHYLLUM         | BRUNNEUM       |               | (Farlow et Burt) Vellinga                |
| CHROOGOMPHUS          | RUTILUS        |               | (Schaeff.) O.K.Miller                    |
| CLITOCYBE             | FRAGRANS       |               | (Withering) Kummer                       |
| CLITOCYBE             | PHAEOPHTALMA   |               | (Pers.) Kuyper                           |
| CLITOCYBE             | PHYLLOPHILA    |               | (Pers.) Kummer                           |
| COLLYBIA              | CIRRHATA       |               | (Pers.) Quélet                           |
| COLTRICIA             | PERENNIS       |               | (L.) Murrill                             |
| COPRINELLUS           | MICACEUS       |               | (Bulliard) Vilgalys, Hopple et J.Johnson |
| CORDYCEPS             | MILITARIS      |               | (L.) Link                                |
| CORTINARIUS           | CROCEUS        |               | (Schaeff.) Gray                          |
| CORTINARIUS           | FLEXIPES       |               | (Pers.) Fr.                              |
| CORTINARIUS           | SEMISANGUINEUS |               | (Fr.) Gillet                             |
| DACRYMYCES            | VARIISPORUS    |               | McNabb                                   |
| ENTOLOMA              | CLANDESTINUM   |               | (Fr.) Noordeloos                         |
| FISTULINA             | HEPATICA       |               | (Schaeff.) Withering                     |
| FOMITOPSIS            | RAMENTACEA     |               | (Berkeley et Broome) Spirin et Vlasák    |
| GALERINA              | MARGINATA      |               | (Batsch) Kühner                          |
| GANODERMA             | LUCIDUM        |               | (W.Curtis) Karsten                       |
| GOMPHIDIUS            | ROSEUS         |               | (Fr.) Fr.                                |
| GYMNOPIUS             | PENETRANS      |               | (Fr.) Murrill                            |
| GYMNOPIUS             | PICREUS        |               | (Pers.) Karsten                          |
| GYMNOPIUS             | SPECTABILIS    |               | (Weinmann ex Fr.) A.H.Smith              |
| GYMNOPIUS             | DRYOPHILUS     |               | (Bulliard) Murrill                       |
| GYMNOPIUS             | FUSIPES        |               | (Bulliard) Gray                          |
| HEBELOMA              | CYLINDROSPORUM |               | Romagnesi                                |
| HELVELLA              | CRISPA         |               | (Scopoli) Fr.                            |
| HYALOSCYPHA           | INTACTA        |               | Svrcek                                   |
| HYGROCYBE             | CONICOIDES     |               | (Orton) Orton et Watling                 |
| HYGROPHOROPSIS        | AURANTIACA     |               | (Wulfen) Maire                           |
| HYPHODONTIA           | ALUTARIA       |               | (Burt) J.Eriksson                        |
| HYPHODONTIA           | SUBALUTACEA    |               | (Karsten) J.Eriksson                     |
| IMLERIA               | BADIA          |               | (Fr.) Vizzini                            |
| INFUNDIBULICYBE       | GIBBA          |               | (Pers.) Harmaja                          |
| INFUNDIBULICYBE       | MEDITERRANEA   |               | Vizzini, Contu et Musumeci               |
| INFUNDIBULICYBE       | MERIDIONALIS   |               | (Bon) Pérez-de-Gregorio                  |
| INOCYBE               | RUFULOIDES     |               | Bon                                      |
| INOCYBE               | TARDA          | var. SABULOSA | Beller et Bon                            |
| INOCYBE               | SUBALBIDODISCA |               | Stangl et Veselsk_                       |
| LACTARIUS             | CIMICARIUS     |               | (Batsch) Gillet                          |
| LACTARIUS             | DELICIOSUS     |               | (L.) Gray                                |
| LACTARIUS             | HEPATICUS      |               | Plowright                                |
| LACTARIUS             | SUBUMBONATUS   |               | Lindgren                                 |

|                  |                   |                                         |
|------------------|-------------------|-----------------------------------------|
| LEOCARPUS        | FRAGILIS          | (Dickson) Rostafinski                   |
| LEPIOTA          | GRANGEI           | (Eyre) Kühner                           |
| LEPIOTA          | OCHRACEODISCA     | Bon                                     |
| LEPIOTA          | POLIOCHLOODES     | Vellinga et Huijser                     |
| LEPIOTA          | SUBINCARNATA      | J.E.Lange                               |
| LEPIOTA          | SUBLAEVIGATA      | Bon et Boiffard                         |
| LEPISTA          | NUDA              | (Bulliard) M.C.Cooke                    |
| LEPISTA          | SORDIDA           | (C.F.Schumacher) Singer                 |
| LEUCOAGARICUS    | LEUCOTHITES       | (Vittadini) Wasser                      |
| LEUCOAGARICUS    | LITTORALIS        | (Menier) Bon ex Bon et Boiffard         |
| LEUCOPAXILLUS    | CUTEFRACTUS       | Noordeloos                              |
| LIMACELLA        | ILLINITA          | (Fr.) Maire                             |
| LYCOPERDON       | LIVIDUM           | Pers.                                   |
| MACROLEPIOTA     | MASTOIDEA         | (Fr.) Singer                            |
| MACROLEPIOTA     | PROCERA           | (Scopoli) Singer                        |
| MARASMIUS        | OREADES           | (Bolton) Fr.                            |
| MUCIDULA         | MUCIDA            | (Schrader) Patouillard                  |
| MYCENA           | CAPILLARIPES      | Peck                                    |
| MYCENA           | CLAVICULARIS      | (Fr.) Gillet                            |
| MYCENA           | OLIVACEOMARGINATA | (Massee) Massee                         |
| MYCENA           | PURPUREOFUSCA     | (Peck) Saccardo                         |
| MYCENA           | ROSEA             | (Bulliard) Gramberg                     |
| MYCENA           | RUBROMARGINATA    | (Fr.) Kummer                            |
| MYCENA           | SEYNII            | Quélet                                  |
| OMPHALINA        | BARBULARUM        | (Romagnesi) Bon                         |
| PANAEOLUS        | ATER              | (J.E.Lange) Kühner et Romagnesi ex Bon  |
| PARALEPISTA      | INVERSA           | (Scopoli) Raithelhuber                  |
| PENIOPHORA       | PITHYA            | (Pers.) J.Eriksson                      |
| PLEUROTUS        | ERYNGII           | (DC.) Quélet                            |
| PLUTEUS          | LEONINUS          | (Schaeff.) Kummer                       |
| POLYPORUS        | TUBERASTER        | (Jacquin ex Pers.) Fr.                  |
| PSATHYRELLA      | MULTIPEDATA       | (Peck) A.H.Smith                        |
| PSEUDOLYOPHYLLUM | METACHROUM        | (Fr.) Raithelhube ex Z.M.He et Z.L.Yang |
| PSEUDOSPERMA     | ARENICOLA         | (Heim) Matheny et Esteve-Raventós       |
| RESUPINATUS      | AMERICANUS        | Consiglio et Setti                      |
| RHIZOPOGON       | AESTIVUS          | (Wulfen) Fr.                            |
| RHODOTUS         | PALMATUS          | (Bulliard) Maire                        |
| RICKENELLA       | FIBULA            | (Bulliard) Raithelhuber                 |
| RUSSULA          | CESSANS           | Pearson                                 |
| RUSSULA          | FRAGILIS          | (Pers.) Fr.                             |
| RUSSULA          | GRAVEOLENS        | Romell                                  |
| RUSSULA          | PARAZUREA         | Jul.Schäffer                            |
| RUSSULA          | SARDONIA          | Fr.                                     |
| RUSSULA          | SUBERETORUM       | Dagron                                  |
| RUSSULA          | TORULOSA          | Bresadola                               |
| RUSSULA          | XERAMPELINA       | (Schaeff.) Fr.                          |
| SCLERODERMA      | CITRINUM          | Pers.                                   |
| STEREUM          | HIRSUTUM          | (Willdenow) Pers.                       |
| STROPHARIA       | CORONILLA         | (Bulliard) Quélet                       |
| SUILLUS          | BELLINII          | (Inzenga) Kuntze                        |
| SUILLUS          | BOVINUS           | (L.) Roussel                            |
| SUILLUS          | GRANULATUS        | (L.) Roussel                            |

|              |             |  |                                   |
|--------------|-------------|--|-----------------------------------|
| THELEPHORA   | TERRESTRIS  |  | Ehrhart                           |
| TRICHOLOMA   | EQUESTRE    |  | (L.) Kummer                       |
| TRICHOLOMA   | FRACTICUM   |  | (Britzelmayr) Kreisel             |
| TRICHOLOMA   | POPULINUM   |  | J.E.Lange                         |
| TRICHOLOMA   | STANS       |  | (Fr.) Saccardo                    |
| TRICHOLOMA   | SULPHUREUM  |  | (Bulliard) Kummer                 |
| TRICHOLOMA   | TERREUM     |  | (Schaeff.) Kummer                 |
| TUBULICRINIS | SUBULATUS   |  | (Bourdot et Galzin) Donk          |
| TULOSTOMA    | BRUMALE     |  | Pers.                             |
| XEROCOMELLUS | CHRYSETERON |  | (Bulliard) _utara                 |
| XEROCOMELLUS | POROSPORUS  |  | (Imler ex G.Moreno et Bon) _utara |